

### 30W Gan ON SiC POWER AMPLIFIER DIE

Package: Die






### **Features**

- Broadband Operation DC-4GHz
- Advanced GaN HEMT Technology
- Packaged Small Signal Gain=14dB at 2GHz
- 48V Typical Packaged Performance
  - Output Power 50W at P3dB
  - Drain Efficiency 65% at P3dB
- Large Signal Models Available
- Active Area Periphery: 6.6 mm
- Chip Dimensions: 0.96mmx1.33mmx0.10mm

### **Applications**

- Commercial Wireless Infrastructure
- Cellular and WiMAX Infrastructure
- Civilian and Military Radar
- General Purpose Broadband Amplifiers
- Public Mobile Radios
- Industrial, Scientific and Medical



Functional Block Diagram

### **Product Description**

The RF3931D is a 48V, 30W, GaN on SiC high power discrete amplifier die designed for commercial wireless infrastructure, cellular and WiMAX infrastructure, industrial/scientific/medical and general purpose broadband amplifier applications. Using an advanced high power density Gallium Nitride (GaN) semiconductor process, the RF3931D is able to achieve high efficiency and flat gain over a broad frequency range in a single amplifier design with proper packaging and assembly. The RF3931D is an unmatched  $0.5\,\mu m$  gate, GaN transistor die suitable for many applications with >46.5 dBm saturated power, >63% drain efficiency, and >14 dB small signal gain at 2 GHz.

### **Ordering Information**

RF3931D 30W GaN on SiC Power Amplifier Die

Optimum Technology Matching® Applied							
GaAs HBT	☐ SiGe BiCMOS	☐ GaAs pHEMT	☑ GaN HEMT				
GaAs MESFET	☐ Si BiCMOS	☐ Si CMOS	☐ RF MEMS				
InGaP HBT	☐ SiGe HBT	☐ Si BJT	☐ LDMOS				

RE MICRO DEVICES®, REMD®, Optimum Technology Matching®, Enabling Wireless Connectivity<sup>W</sup>, PowerStare®, POLARISW "TOTAL RADIO" and UltimateBlug<sup>M</sup> are trademarks of RFMD, LLC, BLUETOOTH is a trade mark owned by Bulletonth SiC, inc. LLS. A and increased for use by RFMD, all other trade names are related asks are the transport of their respective coveres. 2020GB EMICRO Devices for.

## **RF3931D**



rfmd.com

### **Absolute Maximum Ratings**

Parameter	Rating	Unit
Drain Voltage (V <sub>D</sub> )	150	V
Gate Voltage (V <sub>G</sub> )	-8 to +2	V
Gate Current (I <sub>G</sub> )	23	mA
Operational Voltage	50	V
Storage Temperature Range	-55 to +125	°C
Operating Junction Temperature (T <sub>J</sub> )	200	°C
Human Body Model (based on packaged device)	Class 1A	
MTTF (TJ < 200 °C, 95% Confidence Limits)*	3E+06	hours
Thermal Resistance, R <sub>TH</sub> (junction to case)** measured at T <sub>C</sub> = 85 °C, DC bias only	3.6	°C/W

Operation of this device beyond any one of these limits may cause permanent damage. For reliable continuous operation, the device voltage and current must not exceed the maximum operating values specified in the table below.



### Caution! ESD sensitive device.

Exceeding any one or a combination of the Absolute Maximum Rating conditions may cause permanent damage to the device. Extended application of Absolute Maximum Rating conditions to the device may reduce device reliability. Specified typical performance or functional operation of the device under Absolute Maximum Rating conditions is not implied.

RoHS status based on EUDirective 2002/95/EC (at time of this document revision).

The information in this publication is believed to be accurate and reliable. However, no responsibility is assumed by RF Micro Devices, Inc. ("RFMD") for its use, nor for any infringement of patents, or other rights of third parties, resulting from its use. No license is granted by implication or otherwise under any patent or patent rights of RFMD. RFMD reserves the right to change component circuitry, recommended application circuitry and specifications at any time without prior notice.

Parameter	Specification		Unit	Condition	
Faranieter	Min.	Тур.	Max.	Unit	Condition
Recommended Operating Conditions					
Drain Voltage (V <sub>DSQ</sub> )	24		48	V	
Gate Voltage (V <sub>GSQ</sub> )	-4.5	-3.5	-2.5	V	
Drain Bias Current		130		mA	
Frequency of Operation	DC		4000	MHz	
Die Capacitance from Packaged Capacitance Measurements					Package Capacitance Removed During Calibration
C <sub>RSS</sub>		4		pF	$VG = -8V, V_D = 0V$
C <sub>ISS</sub>		17		pF	$VG = -8V$ , $V_D = 0V$
C <sub>OSS</sub>		12		pF	$VG = -8V$ , $V_D = 0V$
DC Functional Test					
I <sub>G</sub> (on) - Forward Bias Diode Gate Current			3	mA	$V_{G} = 1.1V, V_{D} = 0V$
I <sub>G</sub> (off) - Gate Leakage			0.2	mA	$V_G = -8V, V_D = 0V$
I <sub>D</sub> (off) - Drain Leakage			0.2	mA	$V_G = -8V, V_D = 0V$
I <sub>D</sub> (off) - 48V Drain Leakage			2.0	mA	$V_{G} = -8V, V_{D} = 48V$
I <sub>D</sub> (off) - 150V Drain Leakage			4.0	mA	$V_{G} = -8V, V_{D} = 150V$
V <sub>GS</sub> (th) - Threshold Voltage	-4.8	-3.4	-2.5	V	V <sub>D</sub> =48V, I <sub>D</sub> =6mA
V <sub>DS</sub> (on) - Drain Voltage at high current		0.84		V	$V_G = OV, I_D = 1.0A$
RF Typical Performance of Packaged Die					
V <sub>GS</sub> (q)		-3.5		V	Vd=48V, I <sub>D</sub> = 130 mA
Small Signal Gain		20		dB	CW, f=900 MHz
Small Signal Gain		14		dB	CW, f=2140 MHz

<sup>\*</sup> MTTF - Median Time to Failure for wear-out failure mode (30% IDSS degradation) which is determined by the technology process reliability. Refer to product qualification report for FIT (random) failure rate.

<sup>\*\*</sup> Thermal resistance assumes AuSn die attach on 1.5mm thick CPC carrier similar to Kyocera A1933. User will need to define this specification in the final application and ensure bias conditions satisfy the following expression:  $P_{DISS} < (T_J - T_C) / R_{TH}$  J-C and  $T_C = T_{CASE}$  to maintain maximum operating junction temperature and MTTF.




Parameter	Specification		Unit	Condition	
raiailietei	Min.	Тур.	Max.	Oilit	Condition
RF Typical Performance of Packaged Die (continued)					[1]
Output Power at P3dB		47		dBm	CW, f=900MHz
Output Power at P3dB		46.5		dBm	CW, f=2140MHz
Drain Efficiency at P3dB		65		%	CW, f=900MHz
Drain Efficiency at P3dB		63		%	CW, f=2140MHz


<sup>[1]</sup> Test Conditions: CW Operation,  $V_{DSQ}$ =48V,  $I_{DQ}$ =130mA, T=25°C, in Standard Tuned Test Circuit





### **Typical Performance**


Non-internally matched package die in tuned circuit (T=25 °C, unless noted)





















rfmd.com














# **RF3931D**




rfmd.com













### **Die Drawing**

All dimensions in mm



External dimension tolerance due to dicing process development.



G = Gate

S = Source

D = Drain

Die thickness = 0.101mm

Die backside metal = Au

### Bias Instruction for RF3931D Die

ESD Sensitive Material. Please use proper ESD precautions when handling devices die. Die must be mounted with minimal die attach voids for proper thermal dissipation. This device is a depletion mode HEMT and must have gate voltage applied for pinched off prior to applying drain voltage.

- 1. Mount device on carrier or package with minimal die attach voiding and applying proper heat removal techniques.
- 2. Connect ground to the ground supply terminal, and ensure that both the  $V_G$  and  $V_D$  grounds are also connected to this ground terminal.
- 3. Apply -8V to V<sub>G</sub>.
- 4. Apply 48V to V<sub>D</sub>.
- 5. Increase V<sub>G</sub> until drain current reaches desired bias point.
- 6. Apply RF input.

# **RF3931D**



### **Assembly Notes**

### Die Storage

- Individual bare die should be held in appropriately sized ESD waffle trays or ESD GEL packs.
- Die should be stored in CDA/N2 cabinets and in a controlled temperature and humidity environment.

### Die Handling

- Die should only be picked using an auto or semi-automated pick system and an appropriate pick tool.
- Pick parameters will need to be carefully defined so not to cause damage to either the top or bottom die surface.
- GaN HEMT devices are ESD sensitive materials. Please use proper ESD precautions when handling devices or evaluation boards.
- RFMD does not recommend operating this device with typical drain voltage applied and the gate pinched off in a high humidity, high temperature environment.

Caution: The use of inappropriate or worn-out ejector needle and improper ejection parameter settings can cause die backside tool marks or micro-cracks that can eventually lead to die cracking.

#### Die Attach

There are two commonly applied die attach processes: adhesive die attach and eutectic die attach. Both processes use special equipment and tooling to mount the die.

#### **EUTECTIC ATTACH**

- 80/20 AuSn preform, 0.5 1mil thickness, made from virgin melt gold.
- Pulsed heat or die scrub attach process using auto / semi-automatic equipment.
- · Attach process carried out in an inert atmosphere.
- Custom die pick collets are required that match the outline of the die and the specific process employed using either pulsed, fixed heat, or scrub.
- Maximum temperature during die attach should be no greater than 320 C and for less than 30 seconds.
- · Key parameters that need to be considered include: die placement force, die scrub profile and heat profile.
- Minimal amount of voiding is desired to ensure maximum heat transfer to the carrier and no voids should be present under the active area of the die.
- Voiding can be measured using X-ray or Acoustic microscopy.
- The acceptable level of voiding should be determined using thermal modeling analysis.

#### ADHESIVE ATTACH

- High thermal silver filled epoxy is dispensed in a controlled manner and die is placed using an appropriate collet.
   Assembled parts are cured at temperatures between 150°C and 180°C.
- · Always refer to epoxy manufacturer's data sheet.
- Industry recognized standards for epoxy die attach are clearly defined within MIL-883.

#### Early Life Screen Conditions

RFMD recommends an Early Life Screen test that subjects this die to  $T_J = 250^{\circ}\text{C}$  (junction temperature) for at least 6 hours prior to field deployment.

### **Mounting and Thermal Considerations**

The thermal resistance provided as  $R_{TH}$  (junction to case) represents only the packaged device thermal characteristics. This is measured using IR microscopy capturing the device under test temperature at the hottest spot of the die. At the same time, the package temperature is measured using a thermocouple touching the backside of the die embedded in the device heatsink but sized to prevent the measurement system from impacting the results. Knowing the dissipated power at the time of the measurement, the thermal resistance is calculated.



### Mounting and Thermal Considerations (continued)

In order to achieve the advertised MTTF, proper heat removal must be considered to maintain the junction at or below the maximum of 200°C. Proper thermal design includes consideration of ambient temperature and the thermal resistance from ambient to the back of the package including heatsinking systems and air flow mechanisms. Incorporating the dissipated DC power, it is possible to calculate the junction temperature of the device.

#### DC Bias

The GaN HEMT device is a depletion mode high electron mobility transistor (HEMT). At zero volts  $V_{GS}$  the drain of the device is saturated and uncontrolled drain current will destroy the transistor. The gate voltage must be taken to a potential lower than the source voltage to pinch off the device prior to applying the drain voltage, taking care not to exceed the gate voltage maximum limits. RFMD recommends applying  $V_{GS}$ =-5V before applying any  $V_{DS}$ .

RF Power transistor performance capabilities are determined by the applied quiescent drain current. This drain current can be adjusted to trade off power, linearity, and efficiency characteristics of the device. The recommended quiescent drain current  $(I_{DQ})$  shown in the RF typical performance table is chosen to best represent the operational characteristics for this device, considering manufacturing variations and expected performance. The user may choose alternate conditions for biasing this device based on performance trade-offs.

### **GaN HEMT Capacitances**

The physical structure of the GaN HEMT results in three terminal capacitors similar to other FET technologies. These capacitances exist across all three terminals of the device. The physical manufactured characteristics of the device determine the value of the  $C_{DS}$  (drain to source),  $C_{GS}$  (gate to source) and  $C_{GD}$  (gate to drain). These capacitances change value as the terminal voltages are varied. RFMD presents the three terminal capacitances measured with the gate pinched off ( $V_{GS}$ =-8V) and zero volts applied to the drain. During the measurement process, the parasitic capacitances of the package that holds the amplifier is removed through a calibration step. Any internal matching is included in the terminal capacitance measurements. The capacitance values presented in the typical characteristics table of the device represent the measured input ( $C_{ISS}$ ), output ( $C_{OSS}$ ), and reverse ( $C_{RSS}$ ) capacitance at the stated bias voltages. The relationship to three terminal capacitances is as follows:

$$C_{ISS} = C_{GD} + C_{GS}$$

$$C_{OSS} = C_{GD} + C_{DS}$$

$$C_{RSS} = C_{GD}$$