

No.: CE/2013/45501 Date: 2013/05/07 Page: 1 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY



The following sample(s) was/were submitted and identified by/on behalf of the applicant as:

Sample Submitted By : NORDIC SEMICONDUCTOR ASA

Sample Description : IC TRANSCEIVER

Style/Item No. : nRF24Z1
Buyer/Order No. : PO-0003853

Other Info. : MANUFACTURED AT ASECL (W/AU WIRE)

Sample Receiving Date : 2013/04/29

Testing Period : 2013/04/29 TO 2013/05/07

Test Result(s) : Please refer to next page(s).





No. : CE/2013/45501 Date : 2013/05/07 Page : 2 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY



Test Result(s)

PART NAME No.1 : IC TRANSCEIVER

| Test Item(s) | Unit | Method | MDL | Result |
|--------------------------------------------------------------|-------|---------------------------------------------------------------------------------|-------|--------|
| | | | | No.1 |
| Cadmium (Cd) | mg/kg | With reference to IEC 62321: 2008 and performed by ICP-AES. | 2 | n.d. |
| Lead (Pb) | mg/kg | With reference to IEC 62321: 2008 and performed by ICP-AES. | 2 | n.d. |
| Mercury (Hg) | mg/kg | With reference to IEC 62321: 2008 and performed by ICP-AES. | 2 | n.d. |
| Hexavalent Chromium Cr(VI) | mg/kg | With reference to IEC 62321: 2008 and performed by UV-VIS. | 2 | n.d. |
| Antimony (Sb) | mg/kg | With reference to US EPA Method 3050B. Analysis was performed by ICP-AES. | 2 | n.d. |
| Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide) | mg/kg | With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS. | 10 | n.d. |
| PFOA (CAS No.: 335-67-1) | mg/kg | With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS. | 10 | n.d. |
| BBP (Benzyl butyl phthalate) (CAS No.: 85-68-7) | % | With reference to EN 14372. Analysis was performed by GC/MS. | 0.003 | n.d. |
| DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7) | % | With reference to EN 14372. Analysis was performed by GC/MS. | 0.003 | n.d. |
| DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0) | % | With reference to EN 14372. Analysis was performed by GC/MS. | 0.01 | n.d. |
| DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0) | % | With reference to EN 14372. Analysis was performed by GC/MS. | 0.01 | n.d. |
| DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0) | % | With reference to EN 14372. Analysis was performed by GC/MS. | 0.003 | n.d. |
| DBP (Dibutyl phthalate) (CAS No.: 84-74-2) | % | With reference to EN 14372. Analysis was performed by GC/MS. | 0.003 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-an



No.: CE/2013/45501 Date: 2013/05/07 Page: 3 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY



| Test Item(s) | Unit | Mathad | MDL | Result |
|---------------------------------------------|-------|----------------------------------------------------------------------|-----|--------|
| | | Method | | No.1 |
| Sum of PBBs | mg/kg | | - | n.d. |
| Monobromobiphenyl | mg/kg | 1 | 5 | n.d. |
| Dibromobiphenyl | mg/kg | 1 | 5 | n.d. |
| Tribromobiphenyl | mg/kg | 1 | 5 | n.d. |
| Tetrabromobiphenyl | mg/kg | 1 | 5 | n.d. |
| Pentabromobiphenyl | mg/kg | 1 | 5 | n.d. |
| Hexabromobiphenyl | mg/kg | 1 | 5 | n.d. |
| Heptabromobiphenyl | mg/kg | | 5 | n.d. |
| Octabromobiphenyl | mg/kg | 1 | 5 | n.d. |
| Nonabromobiphenyl | mg/kg | 1 | 5 | n.d. |
| Decabromobiphenyl | mg/kg | With reference to IEC 62321: 2008 and | 5 | n.d. |
| Sum of PBDEs | mg/kg | performed by GC/MS. | = | n.d. |
| Monobromodiphenyl ether | mg/kg | 1 | 5 | n.d. |
| Dibromodiphenyl ether | mg/kg | 1 | 5 | n.d. |
| Tribromodiphenyl ether | mg/kg | 1 | 5 | n.d. |
| Tetrabromodiphenyl ether | mg/kg | | 5 | n.d. |
| Pentabromodiphenyl ether | mg/kg | | 5 | n.d. |
| Hexabromodiphenyl ether | mg/kg | | 5 | n.d. |
| Heptabromodiphenyl ether | mg/kg | | 5 | n.d. |
| Octabromodiphenyl ether | mg/kg | | 5 | n.d. |
| Nonabromodiphenyl ether | mg/kg | | 5 | n.d. |
| Decabromodiphenyl ether | mg/kg | | 5 | n.d. |
| Halogen | | | | |
| Halogen-Fluorine (F) (CAS No.: 14762-94-8) | mg/kg | | 50 | n.d. |
| Halogen-Chlorine (CI) (CAS No.: 22537-15-1) | mg/kg | With reference to BS EN 14582:2007. Analysis was performed by IC. | 50 | n.d. |
| Halogen-Bromine (Br) (CAS No.: 10097-32-2) | mg/kg | | 50 | n.d. |
| Halogen-Iodine (I) (CAS No.: 14362-44-8) | mg/kg | | 50 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-an



No.: CE/2013/45501 Date: 2013/05/07 Page: 4 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY



Note:

1. mg/kg = ppm; 0.1wt% = 1000ppm

2. n.d. = Not Detected

3. MDL = Method Detection Limit

4. " - " = Not Regulated

PFOS Reference Information: POPs - (EU) 757/2010

Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µg/m².




No.: CE/2013/45501 Date: 2013/05/07 Page: 5 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY



- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6^+} test method excluded)
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang



Note**: (1) For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.

(2) For metallic material, add pure water and heat to boiling.




No.: CE/2013/45501 Date: 2013/05/07 Page: 6 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY



- These samples were dissolved totally by pre-conditioning method according to below flow chart
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang

Flow Chart of digestion for the elements analysis performed by ICP-AES



| Steel, copper, aluminum, solder | Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂ | | |
|------------------------------------|-----------------------------------------------------------------------------------------|--|--|
| Glass | HNO ₃ /HF | | |
| Gold, platinum, palladium, ceramic | Aqua regia | | |
| Silver | HNO ₃ | | |
| Plastic | H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCl | | |
| Others | Added appropriate reagent to total digestion | | |




No.: CE/2013/45501 Date: 2013/05/07 Page: 7 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY



Analytical flow chart of phthalate content

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2013/45501 Date: 2013/05/07 Page: 8 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY



PFOA/PFOS analytical flow chart of Ultrasonic extraction (LC/MS) procedure

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2013/45501 Date: 2013/05/07 Page: 9 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY



Analytical flow chart of halogen content

- Name of the person who made measurement: Rita Chen
- Name of the person in charge of measurement: Troy Chang






No.: CE/2013/45501 Date: 2013/05/07 Page: 10 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY



PBB/PBDE analytical FLOW CHART

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2013/45501 Date: 2013/05/07 Page: 11 of 11

NORDIC SEMICONDUCTOR ASA KARENSLYST ALLE 5, 0213 OSLO, NORWAY



* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2013/45501



** End of Report **