

SPC563M64CAL144/176

SPC563M64xx microcontroller family calibration and emulation system


Data brief

www.st.com

Features

- Support for LQFP144 and LQFP176 MCU production packages allowing calibration systems to be built without requiring modifications to the standard production system housing
- 2MByte static RAM organized as 1024K words by 16 bits
- On-board latch providing a 16-bit demultiplexed bus interface from the SPC563M64 16-bit multiplexed calibration interface:
- Support for Nexus-based debug tools even if application PCB does not include Nexus connector
- Nexus functionality with 12 Message Data Out (MDO) signals
- Support for full-feature calibration tools via availability of comprehensive set of device signals available on the connectors.
- ERNI 154819 connector optimized for calibration
- High speed CAN transceiver with signals protection
- Specifications:
 - Board Size 36 x 61.8 mm
 - Target connector compatible with TQPACK144SD and TQPACK176SD sockets

For further information contact your local STMicroelectronics sales office.



Description

The SPC563M64CALxx is a calibration and emulation system supporting the STMicroelectronics[®] SPC563Mxx family of automotive microprocessors.

The Calibration Adapter is designed to substitute the QFP device on an ECU version during engine calibration.

The complete system consists of a SPC563M64CAL144/176 board and a POLYPOD-TQ144/176 Poly-Pod which plugs directly into the motherboard.

The Calibration Adapter can also be used as emulation board as the Nexus trace port on CSP496 allows using the pins for application purpose.

1 Order codes

Table 1. Device summary

Order code	Reference
SPC563M64CAL144	Calibration System for SPC563M64 mcu in QFP144 target package
SPC563M64CAL176	Calibration System for SPC563M64 mcu in QFP176 target package
POLYPOD-TQ144	TQ-PolyPod socket for QFP144 targets
POLYPOD-TQ176	TQ-PolyPod socket for QFP176 targets

2/7 Doc ID 023551 Rev 1

2 System requirements

Windows PC (XP, Vista, 7)



3 Calibration software

- Green Hills MULTI
- Wind River diab
- Cosmic C Compiler
- Raisonance RLink

4/7 Doc ID 023551 Rev 1

SPC563M64CAL144/176 Calibration software

4 Calibration software

ETAS INCA



5 Revision history

Table 2. Document revision history

Date	Revision	Changes
12-Sep-2012	1	Initial release.

577

Please Read Carefully:

Information in this document is provided solely in connection with ST products. STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, modifications or improvements, to this document, and the products and services described herein at any time, without notice.

All ST products are sold pursuant to ST's terms and conditions of sale.

Purchasers are solely responsible for the choice, selection and use of the ST products and services described herein, and ST assumes no liability whatsoever relating to the choice, selection or use of the ST products and services described herein.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted under this document. If any part of this document refers to any third party products or services it shall not be deemed a license grant by ST for the use of such third party products or services, or any intellectual property contained therein or considered as a warranty covering the use in any manner whatsoever of such third party products or services or any intellectual property contained therein.

UNLESS OTHERWISE SET FORTH IN ST'S TERMS AND CONDITIONS OF SALE ST DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY WITH RESPECT TO THE USE AND/OR SALE OF ST PRODUCTS INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE (AND THEIR EQUIVALENTS UNDER THE LAWS OF ANY JURISDICTION), OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.

UNLESS EXPRESSLY APPROVED IN WRITING BY TWO AUTHORIZED ST REPRESENTATIVES, ST PRODUCTS ARE NOT RECOMMENDED, AUTHORIZED OR WARRANTED FOR USE IN MILITARY, AIR CRAFT, SPACE, LIFE SAVING, OR LIFE SUSTAINING APPLICATIONS, NOR IN PRODUCTS OR SYSTEMS WHERE FAILURE OR MALFUNCTION MAY RESULT IN PERSONAL INJURY, DEATH, OR SEVERE PROPERTY OR ENVIRONMENTAL DAMAGE. ST PRODUCTS WHICH ARE NOT SPECIFIED AS "AUTOMOTIVE GRADE" MAY ONLY BE USED IN AUTOMOTIVE APPLICATIONS AT USER'S OWN RISK.

Resale of ST products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by ST for the ST product or service described herein and shall not create or extend in any manner whatsoever, any liability of ST.

ST and the ST logo are trademarks or registered trademarks of ST in various countries.

Information in this document supersedes and replaces all information previously supplied.

The ST logo is a registered trademark of STMicroelectronics. All other names are the property of their respective owners.

© 2012 STMicroelectronics - All rights reserved

STMicroelectronics group of companies

Australia - Belgium - Brazil - Canada - China - Czech Republic - Finland - France - Germany - Hong Kong - India - Israel - Italy - Japan - Malaysia - Malta - Morocco - Philippines - Singapore - Spain - Sweden - Switzerland - United Kingdom - United States of America

www.st.com



Doc ID 023551 Rev 1

7/7